



Accessories Spares
Centre (Pty) Ltd

2026

CAMPING AND OUTDOOR CATALOGUE



CATEGORY	PAGE NUMBER	CATEGORY	PAGE NUMBER
Cooler Bags	3 - 4	Camp Stools	15 - 16
Braai Essentials	5	Miscellaneous Camping Equipment	16 - 18
Caravan Covers	6	Tarpaulins And Gazebos	19 - 20
Caravan Steps & Levellers	6 - 7	12V Compressors	21 - 24
Caravan Electrical	7 - 8	Compressor Hoses & Gauges	24 - 27
Tent Pegs	8 - 9	Cargo Nets & Tie Downs	28 - 36
Camp Cooking	10 - 11	4X4 Winches	37 - 45
Camp Lights & Lanterns	11 - 14	Winch Spares & Accessories	46 - 56
Camping Beds	14		

PLEASE NOTE:

The images and descriptions of items displayed in this catalogue are intended as a guide to wholesale buyers only.

You are hereby notified that, whilst Accessories Spares Centre will take all reasonable care, the company will not be liable for reliance by you on any image displayed in this catalogue.

The management cannot be held liable for any print errors that may occur.

You are hereby notified further that Accessories Spares Centre gives no warranties or representations of any kind in regard to the items displayed in this catalogue, whether expressed or implied, including without limitations, in regard to the completeness of any image displayed in this catalogue, the properties, performance or fitness for a particular purpose of items displayed in this catalogue or of any other kind.

All items are scaled for maximum viewability and are not shown to scale in relation to other items.

This catalogue was produced by Accessories Spares Centre PTY (Ltd)
All Rights Reserved.

Any reprinting or unauthorised use without the written permission of Accessories Spares Centre is expressly prohibited.

Accessories Spares Centre are the importers and trade distributors of all the products shown in the catalogue.



B7-007B

Cooler Bag Black H:22 x W:12x26cm
Hand Bag Typ Oxford + Peva



B7-007BL

Cooler Bag Blue H:22 x W:12x26cm
Hand Bag Type Oxford + Peva



B7-008B

Cooler Bag Black H:26 x W:18x22.5cm
Bag Type Oxford600 + Eva



B7-008GR

Cooler Bag Green H:26 x W:18x22.5cm
Bag Type Oxford600 + Eva



B7-008GY

Cooler Bag Grey H:26 x W:18x22.5cm
Bag Type Oxford600 + Eva



B7-008NV

Cooler Bag Navy H:26 x W:18x22.5cm
Bag Type Oxford600 + Eva



B7-009

Cooler Bag Stool Fold Up L:36 x W:29X41cm
Type Oxford600 + Eva







B8-109

5 Piece Stainless Steel Braai Tool Set With Bag
Egg Lifter/Fork/Tong/Knife/Basting Brush



B8-005

Stainless Steel Portable Braai Stand With Bag
(Fold Away Type)



B8-003

Braai Stand 430 Stainless Steel With Check Grill



C009-L

Large Grey Caravan Cover 701 X 250 X 220cm
200D Oxford Fabric/ Water-Proof/
Limited UV Protection



C009-M

Medium Grey Caravan Cover 610 X 230 X 220cm
200D Oxford Fabric/ Water-Proof/
Limited UV Protection

C009-S

Small Grey Caravan Cover 518X230X220cm
200D Oxford Fabric/ Water-Proof/
Limited UV Protection



C10-007-1

1 Step Caravan 400Kg Capacity




C10-007-2

2 Step Caravan 400Kg Capacity



C10-029

Plastic Caravan Leveling Ramp Set 4/7/10cm



C10-029-C

Yellow Caravan Plastic Ramp Chock In Pairs
To Fit On C10-029



C118

Caravan Park Plug Adaptor 220V 16Amp



C119

Caravan Park Plug Adaptor 220V Male



C120

Caravan Park Plug Adaptor 220V Female



C121

Caravan Park Plug Adaptor 220V Body Mount



C10-100

Tent Peg Spring Hook Type 8X460mm



C10-101-200

Tent Peg Hook Type 4X200mm



C10-101-400

Tent Peg Hook Type 6X400mm



C10-102

Ground Sheet Peg 6X150mm



C10-001-18

Lpg Pressure Regulator 2.8Kpa



C10-001-19

Lpg Pressure Regulator 2.8Kpa



C10-031

Foldable Gas Stove Burner With Bag
Uses Canister, Piezo Ignition

369001

Portable Gas Stove 1 Plate
Use Canister or LPG Gas Bottle
Gas Bottle Adaptor Included.



C10-024

12V Water Heater With Cigarette Socket Plug



SC790

12V Coffee Maker With Cups



PS-11

11 Piece Picnic Set



440121

Camping Lantern 3W LED 220Lumens/3W
LED On Top/110Lumens



440202

LED Camping Lantern With Magnetic Base
Batteries: 3xAA Included



H4-061

12V LED Camping Light Lumens 4200,
Includes Magnetic Base And Remote Control



H4-062

12V LED Camping Light Lumens 2200,
4.5M Rod Includes Rod Stand And Remote Control



H4-064

12V Cob LED Camping Light Size 24.5 X 16.5cm.
Contents: LED Pannel (Dual Colour White/Yellow)
-Lumens 5376, Stand -Length 2.7M,
Battery Clips, Remote Control,
Cigarette Lighter Power Plug, Handy Carring Case.



H4-067-BL

Rechargeable Camping Lantern
250Lm 3.7V 9 SMD W/3
Colour: Black



H4-067-BR

Rechargeable Camping Lantern
250Lm 3.7V 9 SMD W/3
Colour: Brown



H4-067-GR

Rechargeable Camping Lantern
250Lm 3.7V 9 SMD W/3
Colour: Green



C10-027

4 Panel LED Lamp Kit With Accessories 12V
36W 3.0Amp 100-240V AC 50/60Hz /Ip67



CB-006

Camping Bed Grey 190 X 67 X 36cm 150Kg



CB-008

Camping Bed Black/Brown/Green
195 X 75 X 45cm 180Kg



C10-030B

Black Folding Stool Max Load 200Kg
Height: 6cm-45cm



C10-030BL

Blue Folding Stool Max Load 200Kg
Height: 6cm-45cm



C10-030O

Orange Folding Stool Max Load 200Kg
Height: 6cm-45cm



C10-030R

Red Folding Stool Max Load 200Kg
Height: 6cm-45cm



C10-035

Plastic Folding Steps/Stool Max Weight 115Kg
L=46.5cm W=51.5cm H=22.5- 44.5cm
H= 17.5 To 35cm Platform Size 100cm To 18.7 cm



C10-009-1

Fold-Up Shovel With Bag



C10-009-3

Shovel, Axe, Saw, Knife With Nylon Bag



C10-009-5

Fold-Up Shovel With Plastic Handle In Nylon Bag



C10-034

Tyre 1 Step Capacity 230Kg
Hooks Around The Tyre W= 20 To 30cm



C10-037

Beach Trolley 120Kg/150L
W:500mm L:900mm H:550mm, Wheel Size:165mm



C10-001

40Lt Camp Shower Bag With Accessories



SMP-01

12V Submersible And Inline Pump



SMP-02

12V Submersible Pump 16Lpm 12V/4.0A 0.6B



SMP-03

200Gph Submersible And Inline Pump 12V
Id:10 Or 13mm Current 4.5Amp Amp 7.5Amp

WJ25L

Water Bottle 25L Food Grade Material





C10-013-24

2 X 4M 140G/Sqm
Blue Polyethylene Tarpaulin



C10-013-35

3 X 5M 140G/Sqm
Blue Polyethylene Tarpaulin



C10-013-56

5 X 6M 140G/Sqm
Blue Polyethylene Tarpaulin



C10-019

Blue Gazebo Size: 3 X 3M
Weight: 18kg

C10-032-2

Pop Up Kiddies Tent 200 X 120 X 105cm
Fiber Glass Brackets /170T Polyester With 4 Pegs

C10-033

Sun Umbrella D:2.2M H2.12M



Maximum Air Flow:

72 Litres per Minute

Maximum Voltage:

13.8 Volt

Maximum Amperage Draw:

30A

Maximum Working Pressure:

150 PSI

Maximum Restart Pressure:

200 PSI

Maximum Ambient Temperature:

60°C

Minimum Ambient Temperature:

-55°C

Maximum Duty Cycle Time:

40 Min @ 40 PSI @ 24°C

C7-002

12V Heavy Duty Compressor



Maximum Air Flow:

72 Litres per Minute

Maximum Voltage:

13.8 Volt

Maximum Amperage Draw:

30A

Maximum Working Pressure:

150 PSI

Maximum Restart Pressure:

200 PSI

Maximum Ambient Temperature:

60°C

Minimum Ambient Temperature:

-55°C

Maximum Duty Cycle Time:

40 Min @ 40 PSI @ 24°C

C7-004

12V Heavy Duty Compressor



Maximum Air Flow:

85 Litres per Minute

Maximum Voltage:

13.8 Volt

Maximum Amperage Draw:

30A

Maximum Working Pressure:

150 PSI

Maximum Restart Pressure:

200 PSI

Maximum Ambient Temperature:

60°C

Minimum Ambient Temperature:

-55°C

Maximum Duty Cycle Time:

40 Min @ 40 PSI @ 24°C

C7-006

12V Heavy Duty Dual Action Compressor



Maximum Air Flow:

35 Litres per Minute

Maximum Voltage:

12 Volt

Maximum Amperage Draw:

14A

Maximum Working Pressure:

150 PSI

Maximum Ambient Temperature:

60°C

Minimum Ambient Temperature:

-55°C

Maximum Duty Cycle Time:

12 - 15 Minutes

C7-007

12V Light Duty Compressor



Maximum Air Flow: 72 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 30A
 Maximum Working Pressure: 120 PSI
 Maximum Restart Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C

C7-008

12V Red Heavy Duty Compressor



Maximum Air Flow: 110 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 30A
 Maximum Working Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C

C7-009

12V Ultra Heavy Duty Compressor



Maximum Air Flow: 160 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 45A
 Maximum Working Pressure: 120 PSI
 Maximum Restart Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C

C7-010

12V Mega Heavy Duty Compressor



Maximum Air Flow: 300 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 90A
 Maximum Working Pressure: 120 PSI
 Maximum Restart Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C

C7-016

12V Compressor



Maximum Air Flow: 72 Litres per Minute
Maximum Voltage: 13.8 Volt
Maximum Amperage Draw: 30A
Maximum Working Pressure: 150 PSI
Maximum Restart Pressure: 200 PSI
Maximum Ambient Temperature: 50°C
Minimum Ambient Temperature: -55°C
Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C
Tank Capacity: 8L

C7-017

12V Air Compressor With 8L Tank



Maximum Air Flow: 180 Litres per Minute
Maximum Voltage: 12 Volt
Maximum Amperage Draw: 45A
Maximum Working Pressure: 150 PSI
Maximum Ambient Temperature: 60°C
Minimum Ambient Temperature: -55°C
Maximum Duty Cycle Time: 33% (15 On/30 Off)
Min On/Off @ 72°F & 100psi

C7-019

12V Air Compressor In Ammo Case



Maximum Air Flow: 30 Litres per Minute
Maximum Voltage: 12 Volt
Maximum Amperage Draw: 14A (160w)
Maximum Working Pressure: 100 PSI
Maximum Ambient Temperature: 60°C
Minimum Ambient Temperature: -55°C
Maximum Duty Cycle Time: 33% (15 On/30 Off)
Min On/Off @ 72°F & 100psi

C7-020

12V Compressor In Small Ammo Case



Maximum Air Flow: 85 Litres per Minute
Maximum Voltage: 13.8 Volt
Maximum Amperage Draw: 30A
Maximum Working Pressure: 150 PSI
Maximum Restart Pressure: 200 PSI
Maximum Ambient Temperature: 60°C
Minimum Ambient Temperature: -55°C
Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C

C7-021

12V Compressor Set With Repair Kit
In Blow Mould Case



Air Tank: 0.6L
 Maximum Voltage: 12 Volt
 Cylinder Diameter: 62mm
 Maximum Restart Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 40 Min @ 40 PSI @ 24°C
 Maximum Duty Cycle: 33% (15 On/ 30 Off)
 Minutes On/Off @ 72°F & 100PSI

C7-022

12V Compressor Kit In Blow Mould Case Tank:0.6L,
Air Gun, Digital Gauge Inflator, Hose Length: 6M



Maximum Air Flow: 8 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 10A
 Maximum Working Pressure: 250 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 10 Min @250 PSI @ 24°C

SC7722

12V Air Compressor



Maximum Air Flow: 180 Litres per Minute
 Maximum Voltage: 13.8 Volt
 Maximum Amperage Draw: 50A
 Maximum Working Pressure: 120 PSI
 Maximum Restart Pressure: 150 PSI
 Maximum Ambient Temperature: 60°C
 Minimum Ambient Temperature: -55°C
 Maximum Duty Cycle Time: 33% (15 On/30 Off)
 Min On/Off @ 72°F & 100psi

WARTHOG

Compressor Heavy Duty Small Body



A831801E

Air Hose With Fittings Rubber/Pvc
 Size: 6 x 12mm x 7.5M
 Working Pressure: 300psi
 Bursting Pressure: 900psi



A831802E

10M European Style Air Hose With Fittings,
Working Pressure: 300Psi
Bursting Pressure: 900Psi



A831803E

15M Air Hose With Fittings,
Working Pressure: 300Psi
Bursting Pressure: 900Psi



A831822E

PU Air Recoil Hose With European Style Quick Coupler
Working Pressure: 10Bar, Length: 10M



A833511

Air Brush Compressor Hose 4.5 X 7.5mm



C7-002H

Hose With Attachments For C7-002
Hose Length 4.5M



C7-002H-L

Hose With Attachments For C7-002
Hose Length 9.5M



C7-010H

Hose With Attachments For C7-010
Hose Length 7.5M



C7-010H-L

Hose With Attachments For C7-010
Hose Length 14.5M



C7-019H

Hose With Attachments For C7-019
Hose Length 6.0M



C7-002G

Air Down Gauge



C7-011

Compressor Gauge Only
Fits All Models



C7-019C

Metal Ammunition Box 300 X 170 X 215mm



3062867

4 Piece Rubber Baggage Straps



LS10X24

10mm x 24"(609mm) Luggage Strap



3PLS

3 Piece Luggage Straps
1 x 12"(304), 1 x 18"(457mm), 1 x 24"(609mm)

UK306

6 Arm 8mm Octopus Strap



670211

2 Pieces 600mm/24Inch Luggage Strap



670212

2 Pieces 900mm/36Inch Luggage Strap



670213

2 Pieces 1500mm/60 Inch Luggage Straps



670220

18 Piece Luggage Strap Assorted Sizes




670221

24"/600mm Luggage Strap




670223

48"/1.2M Luggage Strap




UK-509

5 X 635 X 635mm Cargo Net With 8 Hooks




A2-034L

5 X 1800 X 2400mm Cargo Net With 28 Hooks



A2-034M

5 X 1300 X 1800mm Cargo Net With 22 Hooks



A2-034S

5 X 900 X 1150mm Cargo Net With 14 Hooks



670209

2 Piece Tie Down Set



RTD

1"(25mm) X 15'(4.5M) Ratchet Tie Down



RTD532

1"(32mm) X 16'(5M) 2500Lb(1133Kg)
Ratchet Tie Down



RTD2-525

2 Piece 25mm X 5M 1500Lb(680Kg) Ratchet Tie Down



RTD20

2"(50mm) X 20'(6M) Heavy Duty Tie Down



RTD27

2"(50mm) X 27'(8M) Heavy Duty Tie Down



RTD35A

2"(50mm) X 35'(10M) Heavy Duty Tie Down



670301

4Ton Heavy Duty Tie Down, Size: 50mm X 8M,
Breaking Strength: 10000Lbs



RTD4-525

4 Piece (25mm) X 16'(5M) 1500Lb(680Kg)
Ratchet Tie Down



K21-619

4 Piece 1"(25mm) X 15'(4.5M) Camlock Tie Down



670206

4 Piece Ratchet Tie-Downs, Size: 25 X 0.5mm x 5M, Breaking Strength: 1200Lbs



S10-008

Retractable Tie Down 50mm X 3M



RTD6-S

3.2Ton Ratchet Tie Down Strap With Hook 50mm X 6M



RTD9-S

3.2Ton Ratchet Tie Down Strap With Hook 50mm X 9M



RTD-S

10M x 50mm Ratchet Tie Down Strap Only
With Hook



S10-SS01

9M x 55mm Snatch Strap
Breaking Strength: 5000Kg



S10-SS02

9Mx100mm Snatch Strap
Breaking Strength: 15000Kg



TP13T

Tree Protector 3"(80mm) X 9'(3M)
26000Lb(13Ton)



S10-003

6 X 19mm Military Green Nylon Recovery Rope
Breaking Strength: 19000 Lbs (8626Kgs)
Size:19mm x 6.1M



TS-659L

White Nylon Tow Strap In Bag



EWX2000U

2000Lb(907Kg) 12V Electric Winch
With Solenoid Pack

Motor/Gear Train
12V: 0.8hp (Output)
Permanent Magnet
With Full Steel Gear Train

Gear Ratio
153:1

Rated Line Pull
2000lbs (907kgs)
On First Layer

Cable Type
Steel Cable

Cable Dimensions
ø5/32"x49'
ø4mmx15m

Drum Size
ø2.87"x1.24"
ø73x31.5mm



EWX3000U

3000Lb(1.3Ton) 12V Electric Winch
With Solenoid Pack

Motor/Gear Train
12V: 1.1hp (Output)
Permanent Magnet

Gear Ratio
153:1

Rated Line Pull
3000lbs (1361kgs)
On First Layer

Cable Type
Steel Cable

Cable Dimensions
ø3/16"x46'
ø4.8mmx14m

Drum Size
ø1.24"x2.87"
ø31.5x73mm



EWX3000U-24V

24V 3000Lbs Winch
With Solenoid Pack

Motor/Gear Train
24V: 1.2hp (Output)

Gear Ratio
153:1

Rated Line Pull
3000lbs (1361kgs)
On First Layer

Cable Type
Steel Cable

Cable Dimensions
ø3/16"x46'
ø4.8mmx14m

Drum Size
ø1.24"x2.87"
ø31.5x73mm



EWP3500A

3500Lb(1.5Ton) 12V Electric Winch
With Upper Solenoid

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 1.3hp (Output) Permanent Magnet	170:1	3500lbs (1588kgs) On First Layer	Steel Cable	ø7/32"x42.0' ø5.4mmx12.8m	ø1.46"x3.15" ø37x80mm



EWP3500A-SR

3500Lb(1.5Ton) 12V Electric Winch
With Synthetic Rope

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 1.3hp (Output) Permanent Magnet	170:1	3500lbs (1588kgs) On First Layer	Synthetic Rope	xxxxxxx	ø1.46"x3.15" ø37mmx80mm



EWT3500A-SR

3500Lb(1,5Ton) 12V Electric Winch
With Synthetic Rope

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 1.3hp (Output)	166:1	3500lbs (1587kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.0"x3.2" ø50.4x82mm



EWT4500A-SR

4500Lb(2Ton) 12V Electric Winch
With Synthetic Rope



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 1.4hp (Output)	166:1	4500lbs (2043kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.0"x2.0" ø50.4x126mm



EWL5000-K

5000Lbs(2.2Ton) 12V Electric Winch



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 1.9hp (Output)	184:1	5000lbs (2268kgs) On First Layer	Steel Cable	ø1/4"x79' ø6.4mmx24m	ø2.48"x5.3" ø63mm x 133.5mm



EWL8000-K

8000Lb 12V Electric Winch



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 2.1hp (Output)	184:1	8000lbs (3629kgs) On First Layer	Steel cable	ø21/64"x95' ø8.3mm x 29m	ø2.48"x8.8" ø63mm x 223mm



EWB9500U-SR

9500Lb(4.2Ton) 12V Electric Winch
Low Mount Ip67



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 2.8hp (Output)	228:1	9500lbs (4309kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.48"x8.5" ø63x223mm



EWX9500F

9500Lb(4.2Ton) 12V Electric Winch
With Integrated Solenoid Pack



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 2.8hp (Output)	230:1	9500lbs (4309kgs) On First Layer	Steel Cable	ø3/8"x85' ø9.2mm x26m	ø2.48"x8.8" ø63x223mm



EWX9500F-24

9500Lb(4.2Ton) 24V Electric Winch
With Integrated Solenoid Pack



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
24V: 2.8hp (Output)	230:1	9500lbs (4309kgs) On First Layer	Steel cable	ø3/8"x85' ø9.2mm x26m	ø2.48"x8.8" ø63x223mm



EWX9500S

9500Lb(4.2Ton) 12V Electric Winch
With Separate Solenoid Pack

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 2.8hp (Output)	230:1	9500lbs (4309kgs) On First Layer	Steel Cable	ø3/8"x85' ø9.2mm x26m	ø2.48"x8.8" ø63x223mm



EWX9500S-24

9500Lb(4.2Ton) 24V Electric Winch
With Separate Solenoid Pack

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
24V: 3.8hp (Output)	230:1	9500lbs (4309kgs) On First Layer	Steel Cable	ø3/8"x85' ø9.2mm x26m	ø2.48"x8.8" ø63x223mm



EWX9500S-SR

9500Lb(4.2Ton) 12V Electric Winch
With Synthetic Rope

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 2.8hp (Output)	228:1	9500lbs (4309kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.48"x8.8" ø63x223mm



EWX9500SG2

9500Lb 12V Electric Winch
With Synthetic Rope

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 6.1hp (Output)	230:1	9500lbs (4309kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.48"x4.7" ø63x120mm



EWD12000PRO

12000Lb 12V Winch Ip67

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V 3.2hp (Output)	267:1 (Low Speed) 86:1 (High Speed)	12000lbs (5443kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.48"x8.8" ø63x223mm



EWX12000F

12000Lb(5.3Ton) 12V Electric Winch High Mount
With Integrated Solenoid Pack

Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 3.6hp (Output)	230:1	12000lbs (5443kgs) On First Layer	Steel Cable	ø13/32"x83.7" ø63x223mm	ø2.48"x8.8" ø63x223mm



EWX12000S

12000Lb(5.3Ton) 12V Electric Winch
With Separate Solenoid Pack



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V: 3.6hp (Output)	230:1	12000lbs (5443kgs) On First Layer	Steel Cable	ø13/32"x83.7" ø63x223mm	ø2.48"x8.8" ø63x223mm



EWX12000U-24

12000Lb(5.3Ton) 24V Electric Winch
Low Mounting Runva



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
24V: 4.4hp (Output)	230:1	12000lb (5443kgs) On First Layer	Steel Cable	ø13/32"x83.7" ø10.2mm x25.5m	ø2.48x8.8" ø63x223mm



EWX12000S-SR

12000Lb 12V Winch With Synthetic Rope



Motor/Gear Train	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
12V : 7.2hp (Output)	230:1	12000lbs (5443kgs) On First Layer	Synthetic Rope	xxxxxxx	ø2.48"x8.8" ø63x223mm

EWB12500R

12500Lb 12V Winch With Synthetic Rope



Motor/Gear Train

12V: 3.2hp (Output)

Gear Ratio

228:1

Rated Line Pull

12500lbs (5670kgs)
On First Layer

Cable Type

Synthetic
Rope

Cable Dimensions

xxxxxxx

Drum Size

ø2.48"x8.5"
ø63x216mm

EWB20000

20000Lb Winch Low Mounting
Separate Solenoid 12V



Motor/Gear Train

12V: 3.9hp (Output)

Gear Ratio

370:1

Rated Line Pull

20000lbs (9072kgs)
On First Layer

Cable Type

Steel cable

Cable Dimensions

ø15/32"x87'
ø12mm x26.5m

Drum Size

ø3.46"x8.38"
ø88x213mm

EWB25000

25000Lb Winch Low Mounting
Separate Solenoid 24V



Motor/Gear Train

24V: 8.2hp

Gear Ratio

450:1

Rated Line Pull

25000lbs (11340kgs)
On First Layer

Cable Type

Steel Cable

Cable Dimensions

ø7/13"x87'
ø13.8mmx26.5m

Drum Size

ø4.72"x7.8"
ø120x198mm



HW-10

10000Lb(4.5Ton) Hydraulic Winch

Motor/Oil Flow/Pressure	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
50l/r (Displacement) 15~40L/min 12.5Mpa	28:1	10,000lbs (4536kgs) On First Layer	Steel Cable	ø3/8"x85" ø9.2mm x26m	ø2.48"x8.8" ø63x223mm



HW-20

20000Lb(8.9Ton) Hydraulic Winch

Motor/Oil Flow/Pressure	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
100ml/r (Displacement) 15~75L/min 17.5Mpa	High Speed 6:1 Low Speed 39:1	20.000lbs (9071kgs) On First Layer	Steel Cable	ø9/16"x157" ø14mm x48m	ø5.4"x12.4" ø138x316mm



HWN15000I

Hydraulic Winch 15000Lbs
With Hydraulic Brakes

Motor/Oil Flow/Pressure	Gear Ratio	Rated Line Pull	Cable Type	Cable Dimensions	Drum Size
65ml/r (Displacement) 15~45L/min 12.5Mpa	22.5:1	11.000lbs (4990kgs)	Steel Cable	ø13/32"x83.7" ø10.2mm x25.5m	ø2.8"x8.6" ø72x219mm



RC4

Remote Control For EWX-U Series Winches



RC6

Remote For EWP-Series Winch



RC7

Remote Control For Old Design
EWP2/3 Series Winches

EWP-REMOTE

Remote For EWP-Series Winch



RC8

Remote Control For Runva Winches



RC9

Remote Control For EWB9500U-SR 4 Pins



DVS-43

Remote Control Old Spec. 3pin



DVS-9543

Remote For DV9/9i/DS9.5i Series Winches



DVS-9543-SK

Socket Kit For Remote DV9/9i/DS9.5i



W5-WR

Wireless Remote Runva Set 12v Or 24v



W5-WR2

Wireless Remote Runva Set 12v Or 24v



W5-WR4

Wireless Remote Runva Set 12v Or 24v



W5-WSE10

Wireless Remote Runva Set 12v



EWP3500A-CB

Control Box For EWP-Series



PACK-SG2

Control Box Complete For EWX9500SG2 12v



PACK-SR

Control Box Complete For EWX9500S-SR 12v



DVS-4604

Socket Gland



DVS-4604I

Rubber Gland



DVS-42

Roller Fairlead Bolt/Nuts 6Pieces Set



HDRFL-SS

Roller Fairlead Heavy Duty Stainless Steel



RFL-EWP-SS

Roller Fairlead Stainless Steel EWP-Series



HDHFL

Hawse Fairlead Heavy Duty Aluminum
For Synthetic Rope



HDHFL-EWP

Hawse Fairlead Heavy Duty Aluminum
For Synthetic Rope



WC-9500

Winch Cable For 9500lb Winches



SR01

Synthetic Rope 18720lb (9mm X 29m)



SR02

Synthetic Rope 3500lb (5mmx14m)



SR03

Synthetic Rope 28590lbs (12mmx30m) Grey



HDHOOK

Heavy Duty Winch Hook



HDHOOK-14

Heavy Duty Winch Hook



HDHOOK-516

Heavy Duty Winch Hook



W7-D001

Damper Protector For Winch Cable



W7-LS01

Winch Cable Line Stopper



W7-LS02

Winch Cable Line Stopper



W7-RWK01

Recovery Winch Kit 10 Piece



TS-5020W

4x Winch/Tow Strap 10000lbs



W7-SH08

Soft Shackle Synthetic Rope 22026lbs/10t



SSBH

Snatch Block Small With Hook



BSB

Snatch Block Heavy Duty Type 15000lbs



BSB-2

Snatch Block Heavy Duty Type 20000lbs



MSB

Snatch Block Medium



BSB-M

Snatch Block Medium Heavy Duty Type 12000lbs



EW800PLATE

Winch Plate For All Winches



W7-WG01

Leather Gloves Pair For Winch Operator

Lined area for notes.

2026

A

S

C

Accessories Spares
Centre (Pty) Ltd

CAMPING AND OUTDOOR CATALOGUE



info@accessoriesspares.co.za



031 581 8400

17 Travertine Crescent
Briardene
4051



View Our Range Of Products At
www.accessoriesspares.co.za

for reference purposes only